Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



legend holder 30 x 50 mm with legend 18 x 27 mm unmarked

ZBZ33

Main

product or component type	Legend holder
Accessory / separate part categor	Marking accessory

Complementary

Material	Plastic	
Device composition	Legend holder	
Accessory / separate part destination	Ø 22 mm control or signalling unit with square head Ø 22 mm control or signalling unit with circular head For standard head	
Colour	Dark grey	
Range compatibility	Harmony XB4 Harmony XB5	
Legend holder size	30 x 50 mm	
Sale per indivisible quantity	10	
net weight	0.001 kg	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.3 cm
Package 1 Width	3 cm
Package 1 Length	5 cm
Package 1 Weight	2 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	1.5 cm
Package 2 Width	4.5 cm
Package 2 Length	6.5 cm
Package 2 Weight	20 g
Unit Type of Package 3	S02
Number of Units in Package 3	1000
Package 3 Height	15 cm
Package 3 Width	30 cm

Package 3 Length	40 cm
Package 3 Weight	2 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
⊘	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration