

ZCKD08
Limit switch head, Limit switches XC Standard,
ZCKD, spring rod lever



Main

Range of Product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or Component Type	Limit switch head
Device short name	ZCKD
Head type	Multi-directional head
Product Compatibility	XCKL XCKM XCKS

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TWSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Associated body	ZCKM7H7 ZCKS1H29 ZCKM8H7 ZCKMD31 ZCKSD37 ZCKS5 ZCKS9 ZCKMD31H7 ZCKS6 ZCKL6H7 ZCKSD35H29 ZCKSD39H29 ZCKMD37 ZCKM6H7 ZCKSD37H29 ZCKSD31H29 ZCKMD39H7 ZCKS1 ZCKMD39H29 ZCKM7 ZCKSD35 ZCKM7H29 ZCKLD39 ZCKS2 ZCKS7H29 ZCKLD31 ZCKL1H7 ZCKM5H29 ZCKM9H29 ZCKMD39 ZCKM1 ZCKL5 ZCKM5 ZCKMD35 ZCKM1H29 ZCKLD35 ZCKL1 ZCKS5H29 ZCKMD31H29 ZCKM5H7 ZCKSD31 ZCKLD39H7 ZCKLD37 ZCKM6 ZCKL6 ZCKSD39 ZCKM8 ZCKS9H29 ZCKL8H7 ZCKS8H29 ZCKMD35H29 ZCKM1H7 ZCKL7 ZCKMD37H29 ZCKLD37H7 ZCKLD35H7 ZCKL8 ZCKMD37H7 ZCKL5H7 ZCKL7H7 ZCKS7 ZCKS8 ZCKMD35H7 ZCKM9 ZCKS6H29 ZCKS2H29 ZCKLD31H7 ZCKM6H29 ZCKM8H29
Movement of operating head	Multi-directional Rotary
Type of operator	Spring rod spring return
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without
Head material	Metal

Environment

Ambient Air Temperature for Operation	-13...158 °F (-25...70 °C)
Ambient Air Temperature for Storage	-40...158 °F (-40...70 °C)
Environmental characteristic	Standard environment

Ordering and shipping details

Category	US1000T22413
Discount Schedule	000T
GTIN	3389110646788
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.417 in (3.600 cm)
Package 1 Width	1.417 in (3.600 cm)
Package 1 Length	6.220 in (15.800 cm)
Package 1 Weight	1.481 oz (42.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	18
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	5.906 in (15.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	2.315 lb(US) (1.050 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	288
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	54.613 lb(US) (24.772 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Circularity Profile	No need of specific recycling operations
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com

Contractual warranty

Warranty	18 months
----------	-----------