Product data sheet Characteristics

ZCKD10

Limit switch head, Limit switches XC Standard, ZCKD, metal end plunger



Mair

Main	
Range of Product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or Component Type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product Compatibility	XCKM XCKL
Movement of operating	ZCKMD37 ZCKLD35H7 ZCKLD35H7 ZCKLD37 ZCKLSH7 ZCKMD37H7 ZCKMD35H29 ZCKM7H7 ZCKLD35 ZCKMD35 ZCKMD35 ZCKMD35 ZCKMSH7 ZCKLB37 ZCKLB37 ZCKLB31 ZCKLB ZCKM8 ZCKM8 ZCKM8 ZCKM8 ZCKM8 ZCKM8 ZCKMB129 ZCKM7 ZCKMD35H7 ZCKMD35H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD31H7 ZCKMD37H7 ZCKMD37H7 ZCKMD37H7 ZCKMD37H7 ZCKMD37H7 ZCKMD37H7 ZCKMD39H7 ZCKMB129 ZCKL1 ZCKLB39H7 ZCKMD39H7 ZCKMD39H7 ZCKMD39 ZCKLBH7 ZCKMB129 ZCKLB17 ZCKMB129 ZCKLB17 ZCKMB1429 ZCKLB17 ZCKMB1429 ZCKMB39H7 ZCKMB1429 ZCKMB1429 ZCKMB144 ZCKMB39H7 ZCKMB145 ZCKMB147 ZCKMB17 ZCKM
Movement of operating head	End plunger spring return metal
Type of operator	End plunger spring return metal
Type of approach	Vertical approach, 1 direction

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intermed as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the documentation in the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TMSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Complementary

Switch actuation	On end
Positive opening	With
Head material	Plastic

Environment

Ambient Air Temperature for Operation	-13158 °F (-2570 °C)
Ambient Air Temperature for Storage	-40158 °F (-4070 °C)
Environmental characteristic	Standard environment

Ordering and shipping details

Category	US1000T22413	
Discount Schedule	000T	
GTIN	3389110646702	
Returnability	Yes	
Country of origin	FR	

Packing Units

PCE
1
·
1.339 in (3.400 cm)
2.480 in (6.300 cm)
2.953 in (7.500 cm)
1.376 oz (39.000 g)
S01
28
5.906 in (15.000 cm)
5.906 in (15.000 cm)
15.748 in (40.000 cm)
3.086 lb(US) (1.400 kg)
P06
896
29.528 in (75.000 cm)
23.622 in (60.000 cm)
31.496 in (80.000 cm)
111.651 lb(US) (50.644 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Circularity Profile	No need of specific recycling operations
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com

Contractual warranty

Warranty 18	8 months
-------------	----------

