THQL2130 1/3



PRODUCT-DETAILS

THQL2130 Plug-in Breaker



General Information	
Global Commercial Alias	THQL2130
Extended Product Type	THQL2130
Product ID	1TQQ021030X0100
EAN	78316401292
Catalog Description	Plug-in Breaker
Long Description	Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications.

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

THQL2130 2/3

Dimensions	
Product Net Width	2.000 in
Product Net Height	3.375 in
Product Net Depth / Length	3.000 in
Product Net Weight	0.700 lb
Ordering	
Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	7.200 lb
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Installation Instructions and Manuals	9AKK107680A9941
instructions and infandais	9ANN 107000A9941
Popular Downloads	
Data Sheet, Technical Information	9AKK107680A9941
External Classifications and Standards	
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	Product Not in WEEE Scope
UNSPSC eClass	39121601
IDEA Granular Category Code (IGCC)	V11.0 : 27370409 4840 >> 2 Pole Standard Trip Plug-In Circuit Breakers

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Breakers \rightarrow MCB$

THQL2130 3/3









360